

**MAX MOBILE LEAD SHIELD WITH H-BASE
LB-MB-3636, LB-MB-4848**

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED



**PHILLIPS SAFETY
PRODUCTS INC.**

PRODUCT INFORMATION

MAX MOBILE LEAD SHIELD WITH H-BASE | LB-MB-3636, LB-MB-4848



The Max Mobile Lead Shield with H-Base is a durable lead shield with 0.5mm PbEq. With all steel H-base for maximum stability, this Phillips Safety features hardened chrome steel post and a Posi-Lock height adjustable arm with spring-loaded pin. With an open base design, it has base overall dimensions of 24" W x 24" D, and base inside dimensions of 20" W x 16" D. In addition, this lead shield is available in two different sizes - 36" x 36" and 48" x 48" - and features a heavy duty 4-caster base.

SPECIFICATION

SHIELD SIZE: 36"x36" | 48"x48"

BASE OVERALL DIMENSIONS: 24" W x 24" D H

BASE INSIDE DIMENSIONS: 20" W x 16" D

PROTECTION: 0.5mm Pb LE

MATERIAL: Leaded vynil

FEATURES: Open base design, adjustable height up to 60", all steel H-base for maximum stability, hardened chrome steel post, pPosi-Lock height adjustable arm with spring-loaded pin, heavy duty, 4-castor base.

PRODUCT INFORMATION

MAX MOBILE LEAD SHIELD WITH H-BASE | LB-MB-3636, LB-MB-4848

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08845, USA 

+1 (866) 757 1307 

service@phillips-safety.com 

www.phillips-safety.com 